



## Cable Transfer

AMS CT20



The global standard in  
security hardware solutions



# Cable Transfer

## AMS CT20

### A safe transfer for all cables within a system.

The **AMS CT20** cable transfer offers flexibility with a 20mm internal dimension spring. This allows additional cables to be pulled through the spring in applications that require multiple cables.

Spring retracts into casing when door is closed.



### HIGHLIGHTING FEATURES

- 20mm internal dimensions
- Able to take all cables
- Suitable for use with double doors

### COMPATIBILITY

- Can be used with timber or aluminium doors

### CONSTRUCTION

- Mild steel chrome plated box
- Sprung steel chrome plated spring

### DIMENSIONS

- Casing - 290mm long x 25mm wide x 16 deep
- Spring - 180mm long
- Diameter - 20mm internal and external

### INSTALLATION

- Mortised into the edge of a timber or aluminium door on the hinge side
- The spring is attached to the door and frame with screws provided

### APPLICATIONS


- Used in applications where the door has been core drilled for electrical cabling
- In a double-door installation where the fixed leaf must be core drilled for an electric strike or an AMS lock monitoring box
- The cable transfer is concealed on the hinge side of the door and is not visible until the door has been opened
- Can be used on 180° opening doors

# CABLE TRANSFER - AMS CT-20



LET'S TALK  
**SECURITY**

SCAN TO WATCH AMS CT20 VIDEO



AMS CT20



Spring Internal View

## HOW TO ORDER

Product Code	Product Finish	Product Description
AMS CT20	Mild steel	Cable Transfer



**The global standard  
in security hardware  
solutions**

We design and manufacture a range of security products that are compatible with existing lock and door furniture.



**AMS AUSTRALIA PTY LTD**  
6/13 Brookes Street,  
Mitchell ACT 2911  
T: +61 2 6262 2100  
E: [info@amsaustralia.com.au](mailto:info@amsaustralia.com.au)  
[www.amsaustralia.com.au](http://www.amsaustralia.com.au)