



The global standard in security hardware solutions

# Cable Transfer AMS CT20

### A safe transfer for all cables within a system.

The **AMS CT20** cable transfer offers flexibility with a 20mm internal dimension spring. This allows additional cables to be pulled through the spring in applications that require multiple cables.

Spring retracts into casing when door is closed.



#### **HIGHLIGHTING FEATURES**

- 20mm internal dimensions
- Able to take all cables
- Suitable for use with double doors

#### COMPATIBILITY

Can be used with timber or aluminium doors

#### CONSTRUCTION

- Mild steel chrome plated box
- Sprung steel chrome plated spring

#### DIMENSIONS

- Casing 290mm long x 25mm wide x 16 deep
- Spring 180mm long
- Diameter 20mm internal and external

#### INSTALLATION


- Mortised into the edge of a timber or aluminium door on the hinge side
- The spring is attached to the door and frame with screws provided

#### APPLICATIONS

- Used in applications where the door has been core drilled for electrical cabling
- In a double-door installation where the fixed leaf must be core drilled for an electric strike or an AMS lock monitoring box
- The cable transfer is concealed on the hinge side of the door and is not visible until the door has been opened
- Can be used on 180° opening doors









AMS CT20

**Spring Internal View** 

#### HOW TO ORDER

Product Code	Product Finish	Product Description
AMS CT20	Mild steel	Cable Transfer



## The global standard in security hardware solutions

We design and manufacture a range of security products that are compatible with existing lock and door furniture.



AMS AUSTRALIA PTY LTD 5/9 & 6/9 Brookes Street, Mitchell ACT 2911 T: +61 2 6262 2100 E: info@amsaustralia.com.au www.amsaustralia.com.au